

FEATURES

- 13.56 MHz tags
- Read/write version
- ISO15693 standard compliant

APPLICATIONS

- Asset tracking
- Industrial tool management



FUNCTIONAL SPECIFICATIONS

Operating Frequency	13.56 MHz \pm 3%
ISO Standard Compliance	ISO 15693
Memory Type	I CODE SLI-L-256 bits, R/W I CODE SLX-1024 bits, R/W

PHYSICAL SPECIFICATIONS

Length (mm)	10.2 \pm 0.2
Width (mm)	2.9 \pm 0.2
Height (mm)	2.2 \pm 0.2
Weight (gm)	0.2 appx.
Color	●

ENVIRONMENTAL SPECIFICATIONS

Operating Temperature	-25 to +70°C
Storage Temperature	-40 to +85°C
Mechanical Vibrations	10g, 20-1000 Hz, 3 axis, 10 cycles/axis
Water Immersion	IP67
Thermal Shock	85°C, -23°C 10 mins changeover 15 sec

*Other sizes can be made available upon request. Syrma Technology reserves the right to change the product information, specifications and features without any prior notice at any time. Syrma Technology does not take any responsibility for customer product/system design or performance when our product is used with specifications not mentioned above.

Sales Divisions USA, France, Germany, Switzerland, Singapore
Manufacturing Facilities India (Chennai, Nasik)

Website www.syrmatech.com
Contact +1.408.404.0500 or sales@syrmatech.com